

0

PPC Series PROJECTOR MOUNTS

EASY INSTALLATION AND ADJUSTMENT

NEXT GENERATION PROJECTOR MOUNTS

Vogel's Professional offers a complete new range of projector ceiling mounts. These projector mounts are especially designed for the new generation projectors weighing up to 25 kg. The range includes basic projector ceiling mounts and height adjustable kits with telescopic poles.

Key features:

- Fine tune adjustment on tilt and roll
- Fixation in all directions
- CIS[®] Cable Inlay System
- Over full length of kit
- Cables can be inserted after installation
- Sufficient cable inlay (max. 8 x Ø 7mm cable)
- Stylish design
- Quick and easy installation

Projector ceiling mounts

These mounts can be installed directly to the ceiling or they can be used with a Connect-it Basic pole and ceiling plate in case of higher ceilings.



Mounted directly to the ceiling



Connect-it Basic pole







THE NEW WAY OF PROJECTOR MOUNTING

Universal projector interface

All mounts come with a universal projector interface. This projector interface is equipped with a unique fine tune adjustability for precise alignment with the projection surface. Once aligned, the projector stays in position. Additional fixation features are provided to secure the desired position.

Height adjustable projector ceiling mount kits

The height adjustable projector ceiling mount kits can be used when the height of the ceiling is not known or when flexibility is wanted. These mounts come in 3 lengths offering variable height adjustment from 300 to 1350 mm. The CIS® Cable Inlay System over the full length of the pole makes it even possible to insert cables after installation. The CIS® offers sufficient space for all cables required and enables you to hide all the cables in a matter of seconds.







CIS® Cables can be inserted over full length, even after installation



PPC 1030 / 1045 / 1075 **Projector ceiling mount**

- Maximum load: 15 kg / 33 lbs • Range Ø 30-350 mm
- Height adjustable: - PPC 1030: 300-450 mm
 - PPC 1045: 450-750 mm - PPC 1075: 750-1350 mm
- CIS® Cabe Inlay System
- +/- 15° adjustability on tilt and roll • Fine tune adjustability
- Fixation in all directions
- Special anti-theft screws
- Including 4 metal mounting arms
- Easy mounting
- Easy servicing with secure
- click in/out mechanism

PPC 2030 / 2045 / 2075

Projector ceiling mount

• Maximum load: 25 kg / 55 lbs • Range Ø 30-450 mm • Height adjustable:

CIS[®] Cabe Inlay System

• Fine tune adjustability

Fixation in all directions

• Special anti-theft screws

• Easy servicing with secure click in /out mechanism

• Easy mounting

- PPC 2030: 300-450 mm

- PPC 2045: 450-750 mm

• +/- 15° adjustability on tilt and roll


• Including 4 metal mounting arms

- PPC 2075: 750-1350 mm



5 0 9001 : 2008 Certified

Request our extensive catalogue with our entire range of solutions: www.vogels.com/profcat





PX 70270 © 05/2011 Vogel's Holding BV 2011 © all rights reserved.

WWW.VOGELS.COM